

Rapport d'Examen de type *Type Examination Report*

Aix en Provence, le 20 juin 2019

RAPPORT D'ESSAI / *Test report* : **CL19-00422** Révision 0

Page 1 sur 6

Emetteur / Contact : Philip kelly
Produit / Product : Bath Stand
Reçu le / Received : 22/01/2019
Devis / Price offer : DC18-07601

SHNUGGLE Ltd
 Sketrick House, Jubilee Road

BT23 4YH NEWTONARDS
 NORTHERN IRELAND



Ce document annule et remplace le document de même numéro émis antérieurement. Celui-ci doit être détruit ou retourné au laboratoire.

The present document voids and replaces any previously issued document of the same job reference. It must be destroyed or returned to the laboratory.

Essais demandés <i>Tests requested</i>	Conclusion <i>Conclusion</i>
ESSAIS PARTIELS SELON NF EN 17072 (2018) <i>PARTIEL TEST PROCEDURE ACCORDING TO NF EN 17072 (2018)</i>	Satisfaisant <i>Pass</i>

Les incertitudes de mesure ne sont pas prises en compte pour conclure sur la conformité des analyses sauf demande spécifique du client

Uncertainties are not taken into account to define compliance on analysis except on specific customer request

Laurent SUISSE
 Expert Technique Puériculture
 Mobilier
*Childcare and Furniture technical
 Expert*

(1) Test subcontracted in a SGS Laboratory. (2) Test subcontracted in a partner laboratory outside SGS group.

This document is issued by the Company under its General Conditions of Service available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
 Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.
 Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.
 Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document shall not be reproduced, except in full, without prior written approval of the Company. It includes {Total Page Count} page(s).

Ce document annule et remplace le document de même numéro émis antérieurement. Celui-ci doit être détruit ou retourné au laboratoire.

The present document voids and replaces any previously issued document of the same job reference. It must be destroyed or returned to the laboratory.

Description de l'échantillon

Sample description

Description : Baignoire avec support.

Description : Bath with stand.

Début des essais / *beginning of test* : 31/01/2019

Fin des essais / *end of test* : 05/02/2019

Emballage / *Packaging* : Présence

Notice d'utilisation / *Instructions for use* : Présence

Dimensions l x h x p (cm) / *Dimensions w x h x l (cm)* : 40 x 106 x 80

Poids (kg) / *Weight (kg)* : 4.4

(1) Test subcontracted in a SGS Laboratory. (2) Test subcontracted in a partner laboratory outside SGS group.

This document is issued by the Company under its General Conditions of Service available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document shall not be reproduced, except in full, without prior written approval of the Company. It includes {Total Page Count} page(s).

Ce document annule et remplace le document de même numéro émis antérieurement. Celui-ci doit être détruit ou retourné au laboratoire.

The present document voids and replaces any previously issued document of the same job reference. It must be destroyed or returned to the laboratory.

CHAMP D'APPLICATION DU PRESENT CAHIER DES CHARGES / *SCOPE OF THIS PROTOCOLE*

En référence à la Directive 2001/95/CE relative à la sécurité générale des produits, et aux documents normatifs pertinents dans la mesure où aucune norme relative à ce type de produit n'existe à ce jour. / *With reference to Directive 2001/95/EC on general product safety and combined with relevant childcare articles standards as there is no European standard existing for this type of product.*

Justification de la procédure d'examen de type / *Rational for type exam procedure*

Pour le marché Français application du décret 91-1292 relatif à la prévention des risques liés à l'utilisation des articles de puériculture : une procédure d'examen de type est requise selon article 4.2, dans la mesure où

- aucune norme applicable n'est publiée au JORF, ou
- la norme applicable au produit ne couvre pas tous les risques liés à l'utilisation de ce produit, ou
- le produit présente une fonction supplémentaire qui n'est pas couverte par une norme publiée au JORF

For French Market application of Decree 91-1292 on prevention of risks linked to the use of child care articles: a type examination procedure is required in accordance with article 4.2, as

- *no applicable standard is published to the JORF.*
- *the applicable standard does not cover all risks due to the use of the product*
- *the product presents an additional function not covered by any published standard*

Remarques

- 1- Ce protocole s'inspire de la directive 98/34/CE. Il ne donne présomption de conformité qu'aux exigences générales de sécurité de la Directive 2001/95/CE et donne conformité aux exigences du Décret 91-1292
- 2- Ce protocole ne traite pas des incidents qui pourraient se produire au cours d'une mauvaise utilisation non raisonnablement prévisible du produit considéré et si le produit est utilisé de manière imprudente sans tenir compte des avertissements et instructions d'usage délivrés avec le produit, ou les cas où l'enfant serait laissé sans surveillance dans le produit.
- 3- Il est précisé que les effets du vieillissement et de la dégradation des matériaux ne sont pas inclus.

Notices:

- 1- *This protocol is based on procedures laid down in Directive 98/34/EC. It only presumed to conform to the general safety requirement of Directive 2001/95/EC and conforms to the requirements set forth in Decree 91-1292.*
- 2- *This protocol does not address incidents in which specified products are unreasonably misused, are used in a careless manner that disregards the warnings and instructions that are provided with each product, or those instances where the caregiver leaves the infant unattended in the product.*
- 3- *It should be noted that the effects of ageing and degradation of materials is not included.*

(1) Test subcontracted in a SGS Laboratory. (2) Test subcontracted in a partner laboratory outside SGS group.

This document is issued by the Company under its General Conditions of Service available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document shall not be reproduced, except in full, without prior written approval of the Company. It includes {Total Page Count} page(s).



Rapport d'Examen de type *Type Examination Report*

RAPPORT D'ESSAI / *Test report* **CL19-00422** Révision 0

Page 4 sur 6

Ce document annule et remplace le document de même numéro émis antérieurement. Celui-ci doit être détruit ou retourné au laboratoire.

The present document voids and replaces any previously issued document of the same job reference. It must be destroyed or returned to the laboratory.

ESSAI SELON LA NORME NF EN 17072 (2018)

TEST ACCORDING TO THE STANDARD NF EN 17072 (2018)

ESSAI SELON LA NORME NF EN 17072 (2018)

TEST ACCORDING TO THE STANDARD NF EN 17072 (2018)

Résultats

Results

(1) Test subcontracted in a SGS Laboratory. (2) Test subcontracted in a partner laboratory outside SGS group.

This document is issued by the Company under its General Conditions of Service available on request and accessible at http://www.sgs.com/terms_and_conditions.html. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document shall not be reproduced, except in full, without prior written approval of the Company. It includes {Total Page Count} page(s).

Ce document annule et remplace le document de même numéro émis antérieurement. Celui-ci doit être détruit ou retourné au laboratoire.

The present document voids and replaces any previously issued document of the same job reference. It must be destroyed or returned to the laboratory.

CONDITIONS DE VALIDITE DE L'EXAMEN DE TYPE

SPECIFIC CONDITIONS OF VALIDITY FOR THE TYPE EXAMINATION

Obligations du demandeur / *Obligations of the applicant*

Le demandeur doit informer l'organisme agréé de toutes modifications effectuées sur le modèle approuvé qui doit recevoir, si nécessaire, une approbation complémentaire par un additif au rapport d'examen de type original.

The applicant shall inform the authorised body of all modifications made to the approved model which must be submitted, when necessary, to additional approval to the original type-examination test report.

Comme des avancées techniques et de nouveaux travaux de normalisation ou textes réglementaires peuvent affecter les conclusions de l'examen de type, le demandeur se tiendra régulièrement informé de toutes évolutions éventuelles relatives aux essais réalisés sur le modèle approuvé par l'organisme agréé.

As technical advances or new standardisation work or regulation could affect the conclusion of this type-examination, the applicant shall regularly keep himself informed of any potential evolution applicable to the tests carried out on the model approved by the authorised body.

Outre nos rapports d'essais et synthèses de documents, le dossier technique (prévu à l'article 4 du décret) qu'il incombe au responsable de la mise sur le marché de tenir à disposition des autorités de surveillance du marché doit comporter :

- 1- une description des moyens (tels que l'utilisation d'un protocole d'examen, d'une fiche technique) par lesquels le fabricant assure la conformité de sa production au modèle agréé
- 2- l'adresse des lieux de fabrication & d'entreposage
- 3- des renseignements détaillés concernant la conception et la fabrication

In accordance with the provision of art4 of the Decree, the organism responsible for placing on the market shall keep available to the market surveillance authorities the following technical documentation enclosing test reports and document summary, as :

- 1- full description of the means by which the manufacturer assures conformity of his production to the approved model (such as examination process, technical data sheet)
- 2- address of manufacturing and storing places
- 3- detailed information on design and manufacturing process

Validité de l'Examen de type / *Specific conditions of the type Examination*

Le présent examen de type ne s'applique qu'à l'article testé et pour les essais réalisés consignés dans le présent rapport d'essais.

This type examination applies only to the tested model submitted to the tests specified in this test report

Il n'implique pas que l'organisme agréé a réalisé une surveillance ou un contrôle de fabrication.

It does not imply that the authorised body has performed any surveillance or control of its manufacture

Il tient compte des données officielles à la date d'émission du document :

- 1- Toute modification des référentiels ou réglementations appliqués invalide la procédure d'examen de type menée.
- 2- Toute modification du produit, de quelque nature qu'elle soit, devra entraîner une nouvelle demande d'examen de type.

This type-examination take into account official data available at the date of its emission

- 1- any change in the standards or legislation used invalidates the type - examination process carried out
- 2- any change of the product, whatever it is, shall initiate a new demand of type - examination

Des copies peuvent être délivrées au demandeur.

Copies of the present test report are available upon request by the applicant

(1) Test subcontracted in a SGS Laboratory. (2) Test subcontracted in a partner laboratory outside SGS group.

This document is issued by the Company under its General Conditions of Service available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document shall not be reproduced, except in full, without prior written approval of the Company. It includes {Total Page Count} page(s).



Rapport d'Examen de type *Type Examination Report*

RAPPORT D'ESSAI / *Test report* **CL19-00422** Révision 0

Page 6 sur 6

Ce document annule et remplace le document de même numéro émis antérieurement. Celui-ci doit être détruit ou retourné au laboratoire.

The present document voids and replaces any previously issued document of the same job reference. It must be destroyed or returned to the laboratory.

*** FIN DU RAPPORT ***

*** *END OF REPORT* ***

(1) Test subcontracted in a SGS Laboratory. (2) Test subcontracted in a partner laboratory outside SGS group.

This document is issued by the Company under its General Conditions of Service available on request and accessible at http://www.sgs.com/terms_and_conditions.html. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document shall not be reproduced, except in full, without prior written approval of the Company. It includes {Total Page Count} page(s).

ANNEXE

CL19-00422

EN 17072 : 2018

	Résultats / <i>Results</i>
<u>7 Mechanical Hazards</u>	
7.2 Entrapment hazards	Satisfaisant / Pass
7.3 Hazards from moving parts	Satisfaisant / Pass
7.5 Choking and ingestion hazards	Satisfaisant / Pass
7.6 Suffocation hazards	Satisfaisant / Pass (Déclaratif client)
7.7 Hazardous edges and protrusions	Satisfaisant / Pass
<u>7.8 Structural Integrity</u>	
7.8.1 Thermal shock	Satisfaisant / Pass
7.8.2 Static strength (Bath)	Satisfaisant / Pass
7.8.4 static strength (Stand)	Satisfaisant / Pass
7.8.5 Impact test	Satisfaisant / Pass
<u>7.9 Folding Hazards</u>	
7.9.4 Stand	Satisfaisant / Pass
7.10 Stickers	Satisfaisant / Pass
7.12 Stability (bath and stand)	Satisfaisant / Pass
<u>8 Product Information</u>	Satisfaisant / Pass (In english only)